

Fluid-Bag for the Automotive Industry

Fluid-Bag advantages, compared to rigid containers







Fluid-Bag for the Automotive Industry

Fluid-Bag advantages, compared to rigid containers



Fluid-Bag Automatic Discharge Roller



Fluid-Bag Multi with 4 inch discharge pipe

Fluid-Bag containers are used for liquid sound deadening, cavity waxes, coatings, sealants or similar products.

Fluid-Bag Automatic Discharge Rollers empty the containers efficiently and can either be directly connected to application robots along the production line, or used to empty Fluid-Bag containers into existing steel containers.

Fluid-Bag advantages, compared to rigid containers

 Reduce material consumption by implementing Fluid-Bag:

You can use more of the material you purchase. With Fluid-Bag you will have a residue of 15 kg of LASD, Sealants or adhesives compared to 40-50 kg in a 1000 litre steel container.

Improve your logistics:

After discharging the containers, you will only be left with a stack of seven empty Fluid-Bag pallets that contained 7000 litres. In comparison only one 1000 litre steel container takes up the same amount of space.

• Reduce waste:

You only pay for disposal of 15 kg compared to 40-50 kg.

• Reduce change-over time:

Fast, clean and easy to switch containers. No need for cleaning or changing of expensive O-rings.

• Reduce cleaning:

No need to clean containers anymore.

• Improve quality:

No large open surface exposed to air.